




Brocade compatible rail kits

Brocade p/n	Description	Switches	Netapp p/n	Image
	Mounting Bracket,Rear Tie Down,4-POST		X90200A	
	Kit,2-Post, Brocade 6740	6505 6510 6520 VDX 6740	X-R000292-R6	
	Kit,2-Post, Brocade 6740	VDX 6740	X-R000293-R6	
	Kit,4-Post deep rack - 24-32",Brocade 6740	VDX 6740	X-000306-R6	
	4-Post, Post Rackmount kit, Brocade 65XX		X-000307-R6	
	Brocade 6740 RailKits	VDX 6740T-1G	X-R000295-R6	
	Kit,Brocade 8770-8 4-Post 27-31" Rail	VDX 8770-8	X-RMK-4P-8-R6	
	Kit,Brocade 8770-4 4-Post 27-31" Rail		X-RMK-FL-4-R6	
	4 post deep chassis NetApp cabinet	5000 6520	X-000073-R6	
	4-post flush or mid-mount sliding rail kit	300 5000 5100 6520 G610 G610-L	X1697-R5	
	Kit,Brocade DCX-4S Telco Mid-mount	8510-4 8510-8 DCX-4S	X-DCX4S-0126-R5	
XNA-000072 XNA-100072	1U and 2U Nonport-Side Fixed-Mount Rack Kit (15 in.-20 in.) for Four-Post Racks	300 6505 G610 G610-L	X-000072-R6	
XBR-R000296	Universal Four-Post Rack Kit	6940 7810 7840 G620 v1/v2 G630 v1/v2 G720 G730	X-R000296	

Brocade p/n	Description	Switches	Netapp p/n	Image
XBR-R000294	Universal Two-Post Rack Kit ¹⁾	7810 7840 G620 v1/v2 G630 v1/v2 G720 G730 VDX 6740T-1G	X-R000294-R6	
XBR-R000162	1U and 2U Fixed-Mount Rack Kit for Four-Post Racks	6510 6510-F 6520 G610 G610-L VDX 6740	X-R000162-R6	
	4-Post fixed - 27-31", Brocade 6740	6505 6510 6510-F VDX 6740	X-R000291-R6	
	Kit,Brocade DCX 14U Rack Mount	8510-4 8510-8 X6-8 X7-8	X1884-R5	
	Kit,Brocade X6-4 Mid-Mount	X6-4 X7-4	X-X64-126	
	Kit,Brocade X6-4 4-Post Rackmount (27"-31")	X6-4 X7-4	X-DCX4S-120	
	Kit,Brocade DCX Rack Mount/Mid-Mount	X6-8 X7-8	X1878-R5	
	Rail Kit,Ozeki,4-Post,27"-36" Rail	BES-53248 BES-53248-B	X-RAIL-4POST-190005	
XBR-000165 XBR-R000292	1U or 2U <u>Mid-Mount Rack Kit for Two-Post Racks</u> ²⁾	6505 6510 6510-F 6520 G610 G610-L	X-000165-R6	

1) 2)

Для установки коммутатора в “раму”



From:

<https://micronode.ru/> - **micronode.ru**

Permanent link:

<https://micronode.ru/enterprise/brocade/description/rails>

Last update: **2023/12/25 08:52**

