

Dell Customer Installable KIT part numbers

Большой список партномеров

Memory

factory p/n	kit p/n	Description	Device
370-AEVO	370-AEXX	8GB RDIMM, 3200MT/s, Single Rank, Customer Install	
370-AEVQ	370-AEXY	16GB RDIMM, 3200MT/s, Dual Rank, Customer Install	
370-AEVN	370-AEXZ	32GB RDIMM, 3200MT/s, Dual Rank, 8Gb BASE CK	
370-AEVP	370-AEYB	64GB RDIMM, 3200MT/s, Dual Rank, Customer Install	
370-AGEW	370-AGER	128GB LRDIMM, 3200MT/s, Quad Rank Customer Kit	
	370-AGOG	128GB LRDIMM, 3200MT/s, Quad Rank R840/R940xa only Customer Kit	

Optics

factory p/n	kit p/n	Description	Device
407-BCGJ	407-BCHI	SFP28 SR Optic, 25GbE, 85C, for all SFP28 ports, Customer Install	
	407-BCBN	SFP+ SR Optic for all SFP+ ports except high temp validation warning cards customer install	
	470-AAWG	Dell Networking Cable 40GbE (QSFP+) to 4 x 10GbE SFP+ Passive Copper Breakout Cable 3 Meters, Customer Install	
	470-ACEU	Dell Networking, кабели, SFP28/SFP28, 25GbE, пассивный медный кабель Twinaх прямого подключения, 3 м, комплект заказчика	
	470-ACEY	Dell Networking, кабели, SFP28/SFP28, 25GbE, пассивный медный кабель Twinaх прямого подключения, 5 м, комплект заказчика	
	407-BBOU	Приемопередатчик Dell Networking ближнего действия, SFP+, 10GbE, длина волны 850 нм, дальность 300 м — комплект	
	407-BBXU	Приемопередатчик Dell Networking, 25GbE, SFP28, SR, без FEC, многомодовое оптоволокно, дуплексный разъем LC, спецкомплект	
	470-ACLM	Dell Networking Cable, OM4 LC/LC Fiber Cable, (Optics required), 30 Meter, Customer kit	
	470-ACLT	Dell Networking Cable, OM4 LC/LC Fiber Cable, (Optics required), 2 Meter, Customer kit	
	470-ACLV	Dell Networking Cable, OM4 LC/LC Fiber Cable, (Optics required), 1 Meter, Customer kit	
	470-ACLY	Dell Networking Cable, OM4 LC/LC Fiber Cable, (Optics required), 5 Meter, Customer kit	
	470-ACMN	Dell Networking Cable, OM4 LC/LC Fiber Cable, (Optics required), 10 Meter, Customer kit	
	470-ACMO	Dell Networking Cable, OM4 LC/LC Fiber Cable, (Optics required), 3 Meter, Customer kit	

Storage

SSD

factory p/n	kit p/n	Description	Device
-------------	---------	-------------	--------

10k HDD

factory p/n	kit p/n	Description	Device
-------------	---------	-------------	--------

7,2k HDD

factory p/n	kit p/n	Description	Device
	400-BKZX	Жесткий диск 18 Тбайт, 7200 об/мин, SAS 12 Гбит/с, 512е, 3,5", «горячее» подключение, комплект заказчика	
	400-BJKO	Жесткий диск 16 Тбайт, 7000 об/мин, SAS 12 Гбит/с, 512е, 3,5", «горячее» подключение, комплект заказчика	
	400-AUUT	12TB 7.2K RPM NLSAS 12Gbps 512e 3.5in Cabled Hard Drive, CK	

RAID

factory p/n	kit p/n	Description	Device
	403-BCHW	BOSS controller card, Customer Kit	
	403-BCHD	BOSS controller card, Full Height, Customer Kit	
	403-BCHE	BOSS controller card, Low Profile, Customer Kit	
	405-AAFG	H330 Controller,Customer Kit	
	405-AAFK	H730 Controller,Customer Kit	
	405-AAFL	H730P Controller,Customer Kit	
	405-AARJ	H730P Controller,Customer Kit	
	405-AATH	HBA330 SAS Controller, Customer Install	
	405-AAWN	HBA330 SAS Controller, Customer Install	
	405-AAWW	HBA345 Controller Adapter, Customer Kit	
	405-AAWG	HBA345 Controller, Front, Customer Kit	
	405-AAWV	PERC H345 Controller, Adapter, Customer Kit	
	405-AAWF	PERC H345 Controller, Front, Customer Kit	
	405-AANG	PERC H730P Controller Card, Customer Install	
	405-AAQX	PERC H730P RAID Controller, 2GB NV Cache, Mini card, Customer Kit	
	405-AATI	PERC H730P RAID Controller, Customer Install	
	405-AAWM	PERC H730P RAID Controller, Customer Install	
	405-AAWS	PERC H745 Controller Adapter, Customer Kit	
	405-AAWY	PERC H745 Controller Card, Customer Kit	
	405-AAWE	PERC H745 Controller, Front, Customer Kit	
	405-AATG	PERC H745P RAID Controller, Customer Install	
	405-AANN	PERC H840 RAID Adapter for External MD14XX Only, 8GB NV Cache, Low Profile, Customer Install	

factory p/n	kit p/n	Description	Device
	405-AAMZ	PERC H840 RAID Adapter for External MD14XX Only, 8GB NV Cache, Low Profile/Full Height, Customer Install	

Ethernet

Form Factor	Brand	Model	Speed/Ports	Factory		Customer	
				FH	LP	FH	LP
PCIe	Broadcom	5719	4 x 1GbE	540-BBCW	540-BBDF	540-BBGX	540-BBHB
PCIe	Broadcom	5720	2 x 1GbE	540-BBCX	540-BBDE	540-BBGY	540-BBGW
Eth Mezz Adapter	Broadcom	5720	2 x 1GbE	540-BBZD		540-BCBN	
bNDC	Broadcom	5720	4 x 1GbE	542-BBCG		542-BBCI	
rNDC	Broadcom	5720	4 x 1GbE	540-BBBW		540-BBHG	
OCP NIC 3.0	Broadcom	5720	4 x 1GbE	540-BCOB		540-BCOS	
PCIe	Broadcom	57412	2 x 10GbE SFP+	540-BBUH	540-BBVI	540-BBUN	540-BBVL
rNDC	Broadcom	57412+5720	2 x 10GbE SFP+/2 x 1GbE	540-BBUL		540-BBUR	
OCP NIC 3.0	Broadcom	57412	2 x 10GbE SFP+	540-BCNT		540-BCOQ	
PCIe	Broadcom	57414	2 x 10/25GbE SFP28	540-BBUJ	540-BBVK	540-BBUP	540-BBVN
Eth Mezz Adapter	Broadcom	57414	2 x 10/25GbE SFP28	540-BCKU		540-BCKV	
rNDC	Broadcom	57414	2 x 10/25GbE SFP28	540-BBUM		540-BBUS	
OCP NIC 3.0	Broadcom	57414	2 x 10/25GbE SFP28	540-BCOC		540-BCOR	
PCIe	Broadcom	57416	2 x 10GBT	540-BBUI	540-BBVJ	540-BBUO	540-BBVM
OCP NIC 3.0	Broadcom	57416	2 x 10GBT	540-BCOD		540-BCOP	
Eth Mezz Adapter	Broadcom	57416	2 x 10GBT	540-BBYT		540-BCBM	
Eth Mezz Adapter	Broadcom	57416	2 x 10GbE SFP+	540-BBZE		540-BCBO	
rNDC	Broadcom	57416+5720	2 x 10GBT/2 x 1GbE	540-BBUK		540-BBUQ	
OCP NIC 3.0	Broadcom	57504	4 x 10/25GbE SFP28	540-BCRX		540-BCRY	
MX Mezz	Broadcom	57504	4 x 10/25GbE	555-BGGB		555-BGFZ	
LOM (XR11/XR12)	Broadcom	57504	4 x 10/25GbE				
bNDC	Intel	i350	4 x 1GbE	542-BBCE		542-BBCL	
PCIe	Intel	i350	2 x 1GbE	540-BBDH	540-BBDB	540-BBGZ	540-BBGR
rNDC	Intel	i350	4 x 1GbE	540-BBCB		540-BBHF	
PCIe	Intel	i350	4 x 1GbE	540-BBDD	540-BBCZ	540-BBDS	540-BBDV
OCP NIC 3.0	Intel	i350	4 x 1GbE	540-BCOE		540-BCOT	
bNDC	Intel	X520	2 x 10GbE	542-BBBO		542-BBCK	

Form Factor	Brand	Model	Speed/Ports	Factory		Customer	
				FH	LP	FH	LP
bMezz	Intel	X520	2 x 10GbE	543-BBCD		543-BBCL	
rNDC	Intel	X520 + i350	2 x 10GbE SFP+/2 x 1GbE	540-BBBB		540-BBHJ	
PCle	Intel	X520	2 x 10GbE SFP+	540-BBCT	540-BBDG	540-BBDR	540-BBDW
rNDC	Intel	X550	4 x 10GBT	540-BBUY		540-BBVC	
PCle	Intel	X550	2 x 10GBT	540-BBRO	540-BBRL	540-BBRK	540-BBRG
rNDC	Intel	X550 + i350	2 x 10GBT/2 x 1GbE	540-BBUZ		540-BBVD	
OCP NIC 3.0	Intel	X710-T2L	2 x 10GBT	540-BCRS		540-BCSG	
PCle	Intel	X710-T2L	2 x 10GBT	540-BCRO	540-BCRQ	540-BCSC	540-BCSE
PCle	Intel	X710	2 x 10GbE SFP+	540-BBHP	555-BCKN	540-BBIV	540-BBML
OCP NIC 3.0	Intel	X710	2 x 10GbE SFP+	540-BCNW		540-BCOU	
PCle	Intel	X710	4 x 10GbE SFP+	540-BBHQ		540-BBIW	
rNDC	Intel	X710	4 x 10GbE SFP+	555-BCKP		555-BCKL	
OCP NIC 3.0	Intel	X710	4 x 10GbE SFP+	540-BCRT		540-BCSH	
PCle	Intel	X710	4 x 10GBT	540-BBUX	540-BBVO	540-BBVB	540-BBVP
OCP NIC 3.0	Intel	X710-T4L	4 x 10GBT	540-BCRU		540-BCSI	
PCle	Intel	X710-T4L	4 x 10GBT	540-BCRP	540-BCRR	540-BCSD	540-BCSF
rNDC	Intel	X710 + i350	2 x 10GbE SFP+/2 x 1GbE	555-BCKO		555-BCKM	
bNDC	Intel	X710	4 x 10GbE	542-BBCF		542-BBCM	
Eth Mezz Adapter	Intel	X710	2 x 10GbE SFP+	540-BBWC		565-BBFM	
PCle	Intel	XXV710	2 x 10/25GbE SFP28	540-BCDH	540-BCCM	540-BCDG	540-BCCN
MX Mezz	Intel	XXV710	2 x 10/25GbE	543-BBDH		540-BCGX	
PCle	Intel	XL710	2 x 40GbE QSFP+	540-BBRF	540-BBRM	540-BBRH	540-BBRN
OCP NIC 3.0	Intel	E810-XXV	2 x 10/25GbE SFP28	540-BCXW		540-BCXY	
PCle	Intel	E810-XXV	2 x 10/25GbE SFP28	540-BCYK	540-BCXV	540-BCYL	540-BCXX
bNDC	Marvell / QLogic	57810	2 x 10GbE	542-BBBN		542-BBCH	
bMezz	Marvell / QLogic	57810	2 x 10GbE	543-BBCE		543-BBCP	
bNDC	Marvell / QLogic	57840	4 x 10GbE	540-BCHR		540-BBET	
PCle	Marvell / QLogic	41112	2 x 10GbE SFP+	540-BBYK	540-BBZI	540-BBYH	540-BBZM
OCP NIC 3.0	Marvell	41132	2 x 10GBT	540-BCNY		540-BCOW	

Form Factor	Brand	Model	Speed/Ports	Factory		Customer	
				FH	LP	FH	LP
OCP NIC 3.0	Marvell	41132	2 x 10GbE SFP+	540-BCNX		540-BCOX	
PCIe	Marvell / QLogic	41162	2 x 10GBT	540-BBYJ	540-BBZK	540-BBYG	540-BBZN
rNDC	Marvell / QLogic	41162	2 x 10GBT/2 x 1GbE	555-BDYF		555-BDXX	
rNDC	Marvell / QLogic	41164	4 x 10GbE SFP+	555-BDXY		555-BDYE	
PCIe	Marvell / QLogic	41164	4 x 10GbE SFP+	540-BCHE		540-BCHD	
rNDC	Marvell / QLogic	41164	4 x 10GBT	555-BDYB		555-BDYG	
PCIe	Marvell / QLogic	41164	4 x 10GBT	540-BCHG	540-BCHC	540-BCHH	540-BCHF
OCP NIC 3.0	Marvell	41232	2 x 10/25GbE SFP28	540-BCNU		540-BCOY	
MX Mezz	Marvell / QLogic	41262	2 x 10/25GbE	543-BBDI		540-BCJF	
rNDC	Marvell / QLogic	41262	2 x 10/25GbE SFP28	555-BDYC		555-BDYD	
PCIe	Marvell / QLogic	41262	2 x 10/25GbE SFP28	540-BBYL	540-BBZJ	540-BBYI	540-BBZO
rNDC	Marvell / QLogic	41264	2 x 10GbE SFP+/2 x 1GbE	555-BDYH		555-BDXZ	
rNDC	Mellanox	ConnectX-4 LX	2 x 10/25GbE SFP28	406-BBLG		406-BBLH	
PCIe	Mellanox	ConnectX-4 LX	2 x 10/25GbE SFP28	406-BBLE	406-BBLD	406-BBLF	406-BBLC
MX Mezz	Mellanox	ConnectX-4 LX	2 x 10/25GbE	543-BBDK		540-BCHJ	
PCIe	Mellanox	ConnectX-5 EX	2 x 100GbE QSFP28	540-BCIU	540-BCIX	540-BCIV	540-BCIW
OCP NIC 3.0	Mellanox	ConnectX-5	2 x 10/25GbE	540-BCOF		540-BCOV	
PCIe	Mellanox	ConnectX-5	2 x 10/25GbE	540-BCNM	540-BCMQ	540-BCNI	540-BCNJ
PCIe	Mellanox	ConnectX-6 Dx	2 x 100GbE QSFP56	540-BCXO	540-BCXN	540-BCXP	540-BCXM

Fibre Channel

Form Factor	Brand	Model	Speed/Ports	Factory		Customer	
				FH	LP	FH	LP
PCIe	Emulex	LPe31000	1 x FC16	403-BBMD	403-BBLQ	403-BBLS	403-BBLZ
MX Mezz	Emulex	LPm31002	2 x FC16	544-BBCM		544-BBCV	
PCIe	Emulex	LPe31002	2 x FC16	403-BBLU	403-BBMB	403-BBMF	403-BBLR
PCIe	Emulex	LPe35000	1 x FC32	406-BBTD	406-BBTJ	406-BBTH	406-BBTK
MX Mezz	Emulex	LPm32002	2 x FC32	544-BBCN		544-BBCU	
PCIe	Emulex	LPe35002	2 x FC32	406-BBMP	406-BBMO	406-BBMR	406-BBMQ

bMezz	QLogic	QME2662	2 x FC16	543-BBBP		543-BBCT	
PCle	QLogic	QLE2690	1 x FC16	403-BBMP	403-BBMW	403-BBMV	403-BBMH
PCle	QLogic	QLE2692	2 x FC16	403-BBMQ	403-BBMS	403-BBMU	403-BBMT
MX Mezz	QLogic	QME2742	2 x FC32	544-BBCP		540-BCJD	
PCle	QLogic	QLE2772	2 x FC32	406-BBPZ	406-BBPX	406-BBQE	406-BBQG

- Dell-branded Emulex® Fibre Channel (FC) Adapters by Broadcom

Infiniband & Omni-Path

Form Factor	Brand	Model	Speed/Ports	Factory		Customer	
				FH	LP	FH	LP
PCle	Mellanox	ConnectX-6	1 x HDR 100Gb	540-BCMV	540-BCMW	540-BCMU	540-BCMXX
PCle	Mellanox	ConnectX-6	1 x HDR 200Gb	540-BCMG	540-BCMN	540-BCNK	540-BCNL

From:

<https://micronode.ru/> - **micronode.ru**

Permanent link:

https://micronode.ru/enterprise/dell_emc/solutions/cik

Last update:

2024/10/04 15:09